



Powered Flex Roller Conveyor



Item	Description	Spec.
1	Motor Power	90W
2	Conveyor Direction	Revisable
3	Power Supply	220V/380V/400V
4	Speed	10-35m/min
5	Max. Load	60kg
6	Drive Type	V-Ribbed Belt
7	Certification	CE (Option)



Powered Flex Roller Conveyor



Item	Model	Unit Qty.	Extension Length(mm)	Width (mm)	Height (mm)	Load/Unit No Impact(Kg)
1	FWDP-50	2	1120-2700	600/750/900	700-1000	60
2	FWDP-50	3	1540-3800			
3	FWDP-50	4	1960-4900			
4	FWDP-50	5	2380-6000			
5	FWDP-50	6	2800-7100			



Powered Flex Roller Conveyor



Item	Description	Spec.
1	Motor Power	90W
2	Conveyor Direction	Revisable
3	Power Supply	220V/380V/400V
4	Speed	10-35m/min
5	Max. Load	50kg
6	Drive Type	O Belt
7	Certification	CE (Option)




Powered Flex Roller Conveyor




Item	Model	Unit Qty.	Extension Length(mm)	Width (mm)	Height (mm)	Load/Unit No Impact(Kg)
1	FWDR-50	2	1120-2700	600/750/900	700-1000	50
2	FWDR-50	3	1540-3800			
3	FWDR-50	4	1960-4900			
4	FWDR-50	5	2380-6000			
5	FWDR-50	6	2800-7100			



Flex Roller Conveyor



Diameter	Wall Thickness	Shaft Diameter	Roller Material	
			Zinc Plated Steel	Stainless Steel 304
Φ 50mm	1.5mm	Φ 12mm	√	Option



Diameter	Wall Thickness	Shaft Diameter	Roller Material	
			Zinc Plated Steel	Stainless Steel 304
Φ 50mm	1.5mm	Φ 12mm	√	Option



Non-Powered Flex Roller Conveyor



Item	Model	Unit Qty.	Extension Length(mm)	Width (mm)	Height (mm)	Load/Unit No Impact(Kg)
1	FWA-38	2	980-2480	500/600	700-1000 550-700	80
2	FWA-38	3	1350-3510			
3	FWA-38	4	1720-4540			
4	FWA-38	5	2090-5570			
5	FWA-38	6	2460-6600			




Non-Powered Flex Roller Conveyor



Item	Model	Unit Qty.	Extension Length(mm)	Width (mm)	Height (mm)	Load/Unit No Impact(Kg)
1	FWAH-50	2	1120-2700	500/750/900	700-1000 550-700	100
2	FWAH-50	3	1540-3800			
3	FWAH-50	4	1960-4900			
4	FWAH-50	5	2380-6000			
5	FWAH-50	6	2800-7100			



Non-Powered Flex Roller Conveyor



Diameter	Wall Thickness	Shaft Diameter	Roller Material	
			Zinc Plated Steel	Stainless Steel 304
Φ 38mm	1.2mm	Φ 12mm	√	Option
Φ 50mm	1.5mm	Φ 12mm	√	Option



Non-Powered Flex Roller Conveyor



Material	D	W
ABS	Φ48.5	16

Item	Model	Unit Qty.	Extension Length(mm)	Width (mm)	Height (mm)	Load/Unit No Impact(Kg)
1	FWC-P	2	870-2480	500/600	700-1000 550-700	70
2	FWC-P	3	1190-3510			
3	FWC-P	4	1510-4540			
4	FWC-P	5	2830-5570			
5	FWC-P	6	2150-6600			



Non-Powered Flex Roller Conveyor



Material	D	W
Steel	Φ49	16

Item	Model	Unit Qty.	Extension Length(mm)	Width (mm)	Height (mm)	Load/Unit No Impact(Kg)
1	FWC-C	2	870-2480	500/600	700-1000 550-700	70
2	FWC-C	3	1190-3510			
3	FWC-C	4	1510-4540			
4	FWC-C	5	2830-5570			
5	FWC-C	6	2150-6600			